

Message

From: Wetherington, Michele [Wetherington.Michele@epa.gov]
Sent: 7/6/2021 4:01:59 PM
To: Parker, Christopher [Parker.Christopher@epa.gov]
Subject: RE: Pictures of Pinehope fire breaks/canals

Hi Chris,

I completely agree we don't want to have him do this piece before the AOC is executed. My suggested response:

The EPA sent you a letter on [date] and we are waiting for your response to that letter. The fastest way to start work is to respond with your agreement to the terms in the letter so that EPA can send you an AOC to sign. Once that AOC is executed, you may begin the work.

Chris, another option is for me to email Mary and Mr. Brown and cc you, with the above response (plus some intro saying Mr. Brown sent Chris an email...).

Thanks,

Mic

From: Parker, Christopher <Parker.Christopher@epa.gov>
Sent: Tuesday, July 6, 2021 8:25 AM
To: Wetherington, Michele <Wetherington.Michele@epa.gov>
Subject: FW: Pictures of Pinehope fire breaks/canals

Michele,

I just received this from Mr. Brown. Long term, yes, the plug should be installed but we should wait on a response to our last letter. Then we can prepare an AOC with the remedial activities and have it executed. Don't want to do this piece at a time. How should we respond?

Chris

From: H.E Brown [Ex. 6 Personal Privacy (PP)]
Sent: Tuesday, July 6, 2021 8:20 AM
To: Parker, Christopher <Parker.Christopher@epa.gov>
Subject: Fwd: Pictures of Pinehope fire breaks/canals

Christopher, For your information this is the driest I have seen in a long time.

But the at grade pipe is doing the job holding the much needed water for the wildlife and fire protection. If you still think the plug is necessary I would like to start as soon as possible.

Would Holly Welch of the SC forestry Commission oversee construction?

Thanks Henry

Sent from my iPad

Begin forwarded message:

From: Henry E Brown Jr [Ex. 6 Personal Privacy (PP)]
Date: July 5, 2021 at 6:52:59 PM EDT

To: Holly Welch <hwelch@scfc.gov>

Subject: Fwd: Pictures of Pinehope fire breaks/canals

Holly

Take a look and call me

Henry

Sent from my iPhone

Begin forwarded message:

From: Henry E Brown Jr [Ex. 6 Personal Privacy (PP)]

Date: July 5, 2021 at 6:49:45 PM EDT

To: "Mary D. Shahid" <MShahid@nexsenpruet.com>

Subject: Pictures of Pinehope fire breaks/canals

Mary

Here are pictures showing the 2 crossings you can see they are at grade also way out of water

Also the place they want me to put a plug although I believe the crossings would accomplish the same results as the plug I am still willing to build the plug.

Would like to start as soon as possible because it is dry and less water

Thanks Henry









Sent from my iPhone